## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	MAR 23 2005	<u>.</u>
Returned to applicant for correction		
Corrected application filed		<del></del>
Map filed	MAR 23 2005	<u> </u>

\*\*\*\*

The applicant CHURCHILL COUNTY hereby makes application for permission to change the POINT OF DIVERSION, PLACE OF USE & MANNER OF USE of water heretofore appropriated under PORT. OF PERMIT 60109, CERTIFICATE 15967

- 1. The source of water is UNDERGROUND
- 2. The amount of water to be changed 1.70 CFS, NOT TO EXCEED 444.52 AFA
- 3. The water to be used for MUNICIPAL
- 4. The water heretofore permitted for IRRIGATION
- 5. The water is to be diverted at the following point SW¼ NW¼ OF SECTION 35, T.19 N., R.28E., M.D.B.&M., OR AT A POINT FROM WHICH THE NEW CORNER OF SAID SECTION 35 BEARS N. 42° 50° 39" W. A DISTANCE OF 1973.0 FEET.
- 6. The existing permitted point of diversion is located within LOT 1 (NW% NW%) SECTION 31, T.19N., R.27E., M.D.B.&M., OR AT A POINT FROM WHICH THE NW CORNER OF SAID SECTION 31 BEARS N. 75° 43' 11" W., A DISTANCE OF 1,280.0 FEET. SEE MAP ACCOMPANYING PBU FOR PERMIT 60109 FOR EXISTING POD.
- 7. Proposed place of use SEE EXHIBIT "A". REFER TO SHEET 2 OF 2 ACCOMPANYING APPLICATION 49200 FOR DEPICTION OF PLACE OF USE.
- 8. Existing place of use 26.5 AC. NE%SW%, 28.3 AC. LOT 3 (NW%SW%), 30.6 AC. LOT 4 (SW%SW%), 27.7 AC. SE%SW%, SECTION 31, T.19N., R.27E., M.D.B. & M. TOTALING 113.1 ACRES. SEE MAP ACCOMPANYING PBU FOR PERMIT 60109 FOR EXISTING PLACE OF USE.
- 9. Use will be from JANUARY 1 to DECEMBER 31 of each year.
- 10. Use was permitted from JANUARY 1 to DECEMBER 31 of each year.
- 11. Description of proposed works DRILLED WELL, PUMP, STORAGE TANKS & DISTRIBUTION PIPING
- 12. Estimated cost of works \$250,000
- 13. Estimated time required to construct works TWO (2) YEARS
- 14. Estimated time required to complete the application of water to beneficial use TEN (10) YEARS

15. Remarks: THE REPORT OF CONVEYANCE TO TRANSFER OWNERSHIP FROM WILD GOOSE L.P. INC. TO CHURCHILL COUNTY WILL BE FILED SHORTLY. APPLICANT REQUESTS A FULL DUTY TRANSFER FROM IRRIGATION TO MUNICIPAL CONSISTENT WITH PREVIOUS TRANSFERS IN DOUGLAS, LYON, WASHOE, CARSON, & CHURCHILL COUNTIES, SPECIFICALLY SEE PERMIT 66422 IN CHURCHILL CO. WATERS ARE COMMINGLED UNDER PERMITS 60108, 60109, 60110, 60114, 60115, 67000, 67001, 67002 & 67003, THEREFORE THE 113.1 ACRES TO BE STRIPPED SHOULD BE WITHDRAWN FROM EACH OF THESE PERMITS.

> s/ Chris C. Mahannah Chris C. Mahannah, P.E., SWRS# 976 Water Research & Development, Inc. P.O. Box 5007 Reno, NV 89513-5007

Compared mt/gkl	lt/sam	
Protested		_

## APPROVAL OF STATE ENGINÉER

\*\*\*\*\*

This is to certify that I have examined the foregoing application, and do

hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 60109, Certificate 15967, is issued subject to the terms and conditions imposed in said Permit 60109, Certificate 15967, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing must be kept of water placed to beneficial use.

meter must be installed before any use of the water begins or

hitera the proof of completion of work is filed. If the well is is · flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Any well drilled under this permit shall be drilled in what has been described in the United States Geological Survey Water Supply Paper 2263 as the intermediate alluvial aquifer. In no instance shall the seal on this well be less than 100 feet below ground level.

If any water under this permit is cancelled, withdrawn, or any water is not put to beneficial use, it will revert to the groundwater source and not back to the base water right.

Development under this permit is limited to dedications of a minimum of 1.12 acre-feet annually per equivalent residential unit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed  $\frac{1.70}{2}$  cubic feet per second, and not to exceed  $\frac{1.70}{2}$  cubic feet per second, and not to exceed  $\frac{1.70}{2}$  cubic feet per second.

Work must be prosecuted with reasonable diligence and be completed on or before:

e ja Visit in geografia

October 27, 2007

Proof of completion of work shall be filed on or before: November 27, 2007

Water must be placed to beneficial use on or before: October 27, 2015

Proof of the application of water to beneficial use shall be filed on or before: November 27, 2015

Map in support of proof of beneficial use shall be filed on or before: N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hercunto set

my hand and the seal of my office,

this 27th day of October A.D. 2005

1 00

Tracy Taylor, Deputy State Engineer

Completion of work filed		·	
Proof of beneficial use filed			
Cultural map filed	N/A		
Certificate No.		Issued	




Exhibit "A"

## Place of use

T20N R26E sections 1-4, east ½ 5, east ½ 8, 9-16, east ½ 17, east ½ 20, 21-28, east ½ 29, east ½ 32, 33-36, inclusive.

T20N R27E all sections, T20N R28E all sections, T20N R29E all sections, T20N R30E all sections, T20N R31E all sections.

T20N R32E sections west  $\frac{1}{2}$  4, 5-8, west  $\frac{1}{2}$  9, west  $\frac{1}{2}$  and south  $\frac{1}{2}$  16, 17-21, 29 and 30.

T19N R26E all sections, T19N R27E all sections, T19N R28E all sections, T19N R29E all sections, T19N R30E all sections, tions.

T19N R31E sections 2-11, 14-22 and 27-33.

T-8N R26E sections 1-30, 32-36

T18N R27E all sections, T18N R28E all sections, T18N R29E all sections, T18N R30E all sections.

T18N R31E sections west ½ 4, 5-8, west ½ 9, west ½ 16, 17-20, west ½ 21, west ½ 28, 29-32, and west ½ 33.

Tl7N R3lE sections west ½ 4, 5-8, west ½ 9, west ½ 16, 17-20, west ½ 21, west ½ 28, 29-32, and west ½ 33.

T17N R30E all sections, T17N R29E all sections.

T17N R28E sections 1-3, 10-15, 21-28, and 33-36.

